Product Name: AEROTHOR™ Extra Strength Crawling Insect Spray

Page: 1 of 5

This version issued: February, 2019

Section 1 - Identification of The Material and Supplier

Ensystex Australasia Pty Ltd Unit 3, The Junction Estate AUBURN, NSW 2144 13 35 36 (all hours) Ensystex New Zealand Ltd 17C Corinthian Drive Albany, Auckland 0752 0800 ENSYSTEX (0800 367 978)

Chemical nature: Cypermethrin and imiprothrin are pyrethroid derivatives.

Trade Name: AEROTHOR™ Extra Strength Crawling Insect Spray

Product Code: Australia: APVMA Registration: 63593 New Zealand: ERMA Registration: HSR07108

Product Use: Insecticide for use as described on the product label.

Creation Date: October, 2008

This version issued: February, 2019 and is valid for 5 years from this date.

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: An, Harmful. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Risk Phrases: R12, R51, R53, R57, R65. Extremely Flammable. Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Toxic to bees. Harmful: May cause lung damage if swallowed.

Safety Phrases: S16, S20, S23, S61, S24/25, S62. Keep away from sources of ignition - No smoking. When using, do not eat or drink. Do not breathe vapours or spray mists. Avoid release to the environment. Refer to special instructions/Safety Data Sheets. Avoid contact with skin and eyes. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

SUSMP Classification: S5

ADG Classification: Classified as a Dangerous Good according to Australian Dangerous Goods (ADG) Code.

UN Number: 1950 2.1

DG Class: None Allocated

Subsidiary Risk(s): None Allocated

Pig Group: None Allocated

Hazchem Code: 2YE EPG: 2D1





GHS Signal word: DANGER

HAZARD STATEMENT:

H222: Extremely flammable aerosol.

H229: Pressurized container: may burst if heated. H411: Toxic to aquatic life with long lasting effects.

PREVENTION

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

RESPONSE

P352: Wash with plenty of soap and water.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

SAFETY DATA SHEET

[™] Trademark of Ensystex, Inc. used under licence.

Product Name: AEROTHOR™ Extra Strength Crawling Insect Spray

Page: 2 of 5

This version issued: February, 2019

STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P412: Do not expose to temperatures exceeding 50 °C.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & colour: Liquid in aerosol container.

Odour: Characteristic odour.

Major Health Hazards: If aspirated, may cause lung damage, repeated exposure may cause skin dryness.

Potential Health Effects

Inhalation:

Short term exposure: Product may be irritating, although unlikely to cause anything more than mild transient discomfort. Intentional misuse by deliberately concentrating and inhaling contents of aerosol containers can be harmful or fatal.

Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: Major health effect from this product is misuse of the aerosol function. If sprayed continuously on skin or in eyes, it can cause frostbite.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: If sprayed directly in the eye, this product will irritate. If spraying is prolonged, it may cause damage through frostbite.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Significant oral exposure is considered to be unlikely. Because of the low viscosity of this product, it may directly enter the lungs if swallowed, or if subsequently vomited. Once in the lungs, it is very difficult to remove and can cause severe injury. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients				
Ingredients	CAS No	Conk,%	TWA (mg/m³)	STEL (mg/m³)
Cypermethrin	52315-07-8	0.20%	Not set	Not set
Imiprothrin	72963-72-5	0.14%	Not set	Not set
Isopropyl alcohol	67-63-0	<10%	Not set	Not set
Naphtha (petroleum), hydro treated	64742-48-9	<35%	Not set	Not set
Propane/ Butane	106-97-8/ 74-98-6	6 to 100%	Not set	Not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SAFETY DATA SHEET

Page: 3 of 5

This version issued: February, 2019

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: Move exposed person to fresh air. Get medical attention if adverse health effects persist or are severe.

Skin Contact: Quickly and gently blot away excess liquid. Wash gently and thoroughly with water (use non-abrasive soap if

necessary) for 10 minutes or until chemical is removed. If irritation persists, repeat flushing and obtain medical

advice.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 10 minutes or until the

product is removed, while holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs.

Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or

call a doctor immediately.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: This product is classified as flammable. There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Fire-fighters should take care and appropriate precautions. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances. AEROSOL CANS may explode at temperatures approaching 50 °C.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog. Water fog or fine spray is preferred for large fires. Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Hazchem Code: 2YE

Section 6 - Accidental Release Measures

Accidental release: Accidental release: This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Storage: Store in a cool, well ventilated area, and make sure that surrounding electrical devices and switches are suitable. Check containers and valves periodically for leaks. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Store and use away from heat, sparks, open flame or any other ignition source. Do not pierce or burn, even after use. Empty containers retain product residue and can be hazardous.

If you keep more than 25 kg of flammable gases, you are probably required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations.

Product Name: AEROTHOR™ Extra Strength Crawling Insect Spray

Page: 4 of 5

This version issued: February, 2019

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008,

Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection:

AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested. Wear appropriate respirator when ventilation is inadequate.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: cotton, rubber, PVC. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian

Standard mentioned above.

Section 9 - Physical and Chemical Properties:

Appearance: Clear liquid (aerosol dispensed) **Solubility (water):** Insoluble

Odour:Solvent-like odourSpecific gravity:0.58 (approximately)pH:Not available% Volatiles:Not available

Flammability: Highly flammable Flash point: -104 °C to -60 °C (propellant)

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight and do not expose to temperatures exceeding 50 °C.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity Data

Imiprothrin

Butane LC50 (Inhalation): 658 g/m³/4 hours (rat)

Ethanol LC50 (Inhalation): 2000 ppm/10 hours (rat)

LD50 (Ingestion): 3450 mg/kg (mouse)

Cypermethrin LC50 (Inhalation): 7889 mg/m³/4hrs (rat) LD50 (Ingestion): 247 mg/kg (rat)

LD50 (Skin): 1600 mg/kg (rat)

LD50 (Ingestion): 1600 mg/kg (rat)

LD50 (Skin): >2000 mg/kg LC50 (Inhalation): >1,200 mg/m³

Classification of Hazardous Ingredients

Ingredient Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd Phone: 13 35 36 (ALL HOURS)

Page: 5 of 5

This version issued: February, 2019

Section 12 - Ecological Information

Environment: Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure

appropriate measures are taken to prevent this product from entering the environment.

Ecotoxicity: High toxicity to aquatic organisms. **Degradability:** This product is biodegradable.

Mobility: This product is not likely to volatise rapidly into the air due to its low vapour pressure. It is not likely to move

rapidly with surface or groundwater flows because of its low water solubility.

Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

Section 14 - Transport Information

ADG Code: This product is classified as a Dangerous Good by ADG.

UN No: 1950 2.1

DG Class: None Allocated Subsidiary Risk(s): None Allocated Pig Group: None Allocated

Hazchem Code: 2YE EPG: 2D1



Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredients: cypermethrin, imiprothrin, are mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

If there is any conflict between this SDS and the registered label, instructions on the label prevail.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

Australian Inventory of Chemical Substances

SWA Safe Work Australia, formerly ASCC and NOHSC

CAS number Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to emergency services

especially fire-fighters

International Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

UN Number United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

SAFETY DATA SHEET

Issued by: Ensystex Australasia Pty Ltd Phone: 13 35 36 (ALL HOURS)